

FLORIDA AGRICULTURAL STATISTICS

FIELD CROPS SUMMARY

**FLORIDA DEPARTMENT OF AGRICULTURE
AND CONSUMER SERVICES
BOB CRAWFORD, COMMISSIONER
TALLAHASSEE, FLORIDA**

**FLORIDA AGRICULTURAL
STATISTICS SERVICE**

**Robert L. Freie, State Statistician
Orlando, Florida**

DIVISION OF MARKETING

**Nelson L. Pugh, Director
Tallahassee, Florida**

Cooperating with

**U.S. Department of Agriculture
Agricultural Marketing Service
and
National Agricultural Statistics Service**

**University of Florida
Institute of Food & Agricultural Sciences
National Experiment Stations
Department of Food & Resource Economics**

ACKNOWLEDGMENT

The publication of this bulletin was made possible through the efforts and cooperation of many individuals including those in private and governmental organizations. The Florida Agricultural Statistics Service expresses its appreciation of each contributor.

Many farmers and agricultural enterprises have voluntarily supplied information to develop these statistics. The Agricultural Stabilization and Conservation Service has been a source of much basic data on crops under USDA programs. Others contributing information were the Florida Department of Agriculture, the Agricultural Experiment Stations and Cooperative Extension Service, University of Florida.

This bulletin is published by the Florida Agricultural Statistics Service, a cooperative office of the USDA, Florida Department of Agriculture; and Agricultural Experiment Stations, University of Florida. Acreage, production, and value data are official statistics assembled under the direction of Wade W. Adams of the Florida Agricultural Statistics Service. Additional assistance on this year's book was provided by Jeff Geuder, Karl Schmidt, Iris Solis, and Pat Quittance.

For information call: (407) 648-6022

8/94

CONTENTS

	Page
INTRODUCTION AND COMMENTS	1-2
ACREAGE, YIELD, PRODUCTION AND VALUE:	
FIELD CROPS, 1983-1993	3-6
PRODUCTION AND VALUE BY VARIETIES:	
PECANS, 1983-1993	7
ACREAGE, YIELD, AND PRODUCTION, BY COUNTY, 1992-1993:	
CORN	8-9
PEANUTS	10-11
POTATOES	12-13
SOYBEANS	14-15
TOBACCO, TYPE 14	16-17
COTTON, SUGARCANE, WHEAT	18
USUAL PLANTING AND HARVESTING DATES, BY CROPS AND PRINCIPAL PRODUCING AREAS	19

SUMMARY OF THE 1993 FIELD CROPS SEASON

INTRODUCTION

This annual publication contains statewide estimates of acreage, yield, production, and value of production for major field crops grown in Florida. The period covered for these crops is from 1983 through 1993. Winter wheat estimates were dropped from the national estimating program after 1978, but were reinstated in 1985.

County data for the major counties, which produce corn, cotton, peanuts, soybeans, sugarcane, and tobacco, are published for the years 1992 and 1993. District totals are published for wheat. Potato county estimates are published for the years 1988 through 1993.

SUMMARY, 1993 SEASON

The major freeze of the season came March 14 and 15 with the "Storm of the Century". The freeze killed all the tobacco that had been transplanted. Some tobacco beds were also damaged by freezing temperatures when the strong winds blew the covers off. Tobacco growers were able to find plants to replace the ones lost. Potato fields in the Hastings area with plants too large to cover were extensively damaged by the freeze. This delayed the start of potato harvest in the Hastings area by a month. The winter wheat crop had only minor damage from the freezing temperatures. Field corn that had been planted was not damaged.


Moisture during the winter and early spring was adequate to surplus throughout the State. Heavy rains in the sugarcane area extended the sugarcane harvest one month. The normal end of the sugarcane harvest is mid-March; this year, harvest ended in mid-April.

Corn planting and tobacco transplanting both started the first week of March. The mid-March freeze set tobacco transplanting back by two weeks. Peanut planting started in early April. Cotton planting was started by the end of April. During May, soil moisture went from adequate to short. Dry soil delayed the planting of cotton and peanuts and the start of soybean planting. Dryland crops were under drought stress by late May. Winter wheat harvest started in mid-May and was virtually complete by June 1. Haying was active by the end of May.

Soil moisture was short during June and dryland crops were under stress. By mid-June, tobacco harvest was active and cotton and peanut planting

were virtually complete. Soybean planting was virtually complete by the end of June. Soil moisture during the summer was short to adequate. In most areas, dryland crops were stressed during July. Tobacco harvest was active in July, with the first tobacco market opening on July 21. Harvesting of corn for grain had started by the end of July. The tobacco markets were active during August. By the end of August, the tobacco harvest was winding down. Corn harvest and haying were active during the month. Peanut harvest was underway by the end of August.

VALUES OF SELECTED FLORIDA CROPS, 1993
(MILLIONS OF DOLLARS)



By mid-September, tobacco harvest was complete. Tobacco marketing was active during the month of September. Peanut and corn harvest were active during September. Sugarcane planting started in mid-September. Haying was active throughout September. Soil moisture during the fall was short to adequate. Cotton harvest had started by the first of October. The last tobacco market closed for the season on October 18. Soybean harvest was underway by mid-month. After mid-October, the sugarcane mills started opening; the last was open by the first of November. Peanut and cotton harvest were active during October. Small grain planting started after mid-October.

Peanut harvest was completed in early November. Cotton, soybean and sugarcane harvest were all active during November. Small grain and sugarcane planting were also active during the month. Pecan harvest started during November. In early December, the soybean harvest was completed. Cotton harvest and small grain planting were complete by late December. Sugarcane harvest and planting were active during December.

CORN: Acreage planted for all purposes, at 140,000 acres, was 10,000 acres or 7 percent less than last year. Acreage harvested for grain, at 100,000 acres, was down 10,000 acres or 9 percent from the previous year. The average yield of 65 bushels per acre was down 10 bushels from the 1992 yield. The season average price of \$2.55 per bushel was up 25 cents from a year earlier. The value of production was \$16,575,000, down 13 percent from 1992.

COTTON: The 54,000 acres planted to cotton was 4,000 acres more than the previous year. The harvested acreage of 53,500 acres was 4,000 acres more than 1992 and the largest since 1953. Yield averaged 696 pounds per acre, down 5 pounds from the previous year. Production, at 77,600 bales, was up 7 percent from the year before. The season average price of 57.0 cents per pound was up 0.9 cents from a year earlier. Growers in Santa Rosa County produced 46 percent of the State's cotton on 37 percent of harvested acreage.

HAY: A total of 660,000 tons of hay was cut from 220,000 acres during 1993. This production was down 25 percent from the previous year. The average yield, 3.0 tons per acre, was down 0.5 ton from the previous year. The average price per ton of \$86.00 was \$4.00 more than a year earlier.

PEANUTS: The 98,000 acres planted to peanuts was 11 percent more than 1992. Of the total planted acres, 89,000 acres were harvested as dry nuts. The remaining acreage was either harvested as "green nuts", cut for hay, pastured, or abandoned. The average yield of 2,320 pounds per acre was down 210 pounds from a year earlier. Total production, at 194,880,000 pounds, was down 4 percent from the previous year. The average price, at 29.4 cents per pound, was up 0.8 cents from the year before. The value of production, at \$57,295,000, was down 1 percent from 1992.

PECANS: Utilized production from the 1993 pecan crop was 7.5 million pounds, up 300 percent from the previous year's crop of 2.5 million pounds. Of the total utilized production, 3.2 million pounds were improved varieties and 4.3 million pounds were native or seedling. The average price for all pecans, at 46.1 cents was \$1.049 less than the previous year. The value of the crop at \$3,460,000, was down 8 percent from 1992.

POTATOES: The area planted to all potatoes, including both winter and spring crops, totaled 44,700 acres, up 8 percent from last year. Harvested acreage, at 41,900 acres, was up 4 percent from 1992. The average yield for the total crop was 181 cwt per acre, down 53 cwt from the previous year. Production in 1993 totaled 7.6 million cwt, a decrease of 19 percent from a year earlier. The average price of \$17.00 was up \$7.10 from the previous year.

Planted acreage of winter potatoes totaled 8,700 acres. Of this total, 8,400 acres were harvested. The yield of 180 cwt was down 20 cwt from the previous year. Production, at 1.5 million cwt, was down 7 percent from 1992. The "red-skinned" varieties are the dominant type grown for winter harvest in south Florida. Most of the crop is sold for

tablestock.

Spring potatoes in the Hastings area, which includes Flagler, Putnam, and St. Johns counties, totaled 28,000 acres planted in 1993. Of this total, 26,000 acres were harvested. The crop yielded 180 cwt per acre with a production of 4.7 million cwt. The "Storm of the Century", March 14 and 15, did extensive damage to the early potato crop in the Hastings area. The potatoes that were too large to cover had extensive frost damage. This storm delayed the start of harvest in the Hastings area by a month. The "white-skinned" varieties dominated, with the largest percentage of the potatoes going to the chip processing market.

The other spring potato group, which includes all the spring potatoes grown outside the Hastings area, totaled 8,000 acres planted and 7,500 acres harvested, an increase of 500 acres harvested from a year earlier. This crop yielded 185 cwt per acre and produced 1.4 million cwt.

SOYBEANS: The 55,000 acres planted to soybeans were the same as the year before. Acres harvested for beans totaled 50,000 acres, the same as 1992. The yield of 25 bushels per acre was 2 bushels less than a year earlier. The season average price of \$6.35 per bushel was up \$1.15 from the previous year. Value of production totaled \$7.9 million, a 13 percent increase from a year earlier.

SUGARCANE: The area of sugarcane harvested for sugar and seed totaled a record 444,000 acres, up 1,000 acres from the previous season. Of this total, 425,000 acres were cut for sugar and the remaining 19,000 acres were used for seed. The average yield for all cane was 34.1 tons per acre, 0.9 tons more per acre than the 1992 season. The value of production for the 1993 crop will be published in January 1995. The value of the 1992 crop for sugar and seed combined was placed at \$438.3 million, down 9 percent from 1991.

TOBACCO: Acreage harvested totaled 7,100 acres, a decrease of 400 acres from the previous year. The average yield was 2,630 pounds per acre, up 20 pounds from a year earlier. The total production of 18.7 million pounds was down 5 percent from 1992. The average price for all grades sold was \$1.64 per pound, up 1 cent from the previous year. The crop was valued at \$30.6 million, down 4 percent from a year earlier. The first tobacco market opened on July 21 and the last market day was October 18. The markets were open 14 weeks in 1993 compared to 13 weeks the previous year.

WHEAT: Acreage planted to winter wheat totaled 40,000 acres, down 11 percent from 1992. Of the total acres planted, 25,000 acres were harvested for grain, up 25 percent from the previous year. The average yield of 33 bushels per acre was down 9 bushels from a year earlier. Total production was 825,000 bushels, down 2 percent from the 1992 crop. The average price of \$2.70 per bushel was down 60 cents from the previous year. The value of production was \$2.2 million, down 20 percent from last year.

**FIELD CROPS: Acreage, yield, production, and value, Florida,
crop years 1983 through 1993 1/**

Crop and year	Area		Yield	Production	Season average price	Value of production
	Planted	Harvested				
	1,000 acres		Bushels	1,000 bushels	Dollars	1,000 dollars
CORN 2/						
1983	168	122	67	8,174	3.80	31,061
1984	250	210	65	13,650	3.05	41,633
1985	240	190	65	12,350	2.55	31,493
1986	200	160	62	9,920	1.95	19,344
1987	140	105	69	7,245	1.85	13,403
1988	100	65	58	3,770	3.00	11,310
1989	115	80	74	5,920	2.30	13,616
1990	105	75	71	5,325	2.70	14,378
1991	110	75	68	5,100	2.60	13,260
1992	150	110	75	8,250	2.30	18,975
1993	140	100	65	6,500	2.55	16,575
COTTON 3/						
			Pounds	1,000 bales		
1983	12.5	12.0	608	15.2	.673	4,910
1984	17.5	17.0	847	30.0	.579	8,338
1985	24.5	22.5	693	32.5	.520	8,112
1986	19.5	19.0	707	28.0	.500	6,720
1987	29.5	29.0	646	39.0	.630	11,794
1988	33.0	29.0	566	34.2	.520	8,536
1989	25.5	25.0	557	29.0	.650	9,048
1990	37.0	36.0	640	48.0	.680	15,667
1991	50.0	49.0	719	73.4	.554	19,519
1992	50.0	49.5	701	72.3	.561	19,469
1993	54.0	53.5	696	77.6	.570	21,231
COTTONSEED						
				1,000 tons		
1983	--	--	--	5.8	140.00	812
1984	--	--	--	10.7	75.00	803
1985	--	--	--	11.7	35.00	410
1986	--	--	--	9.8	67.00	657
1987	--	--	--	14.4	80.00	1,152
1988	--	--	--	12.0	105.00	1,260
1989	--	--	--	10.4	90.00	936
1990	--	--	--	17.0	100.00	1,700
1991	--	--	--	28.0	53.50	1,498
1992	--	--	--	25.0	91.00	2,275
1993	--	--	--	27.0	101.00	2,727

1/ All 1993 estimates are preliminary. 2/ Planted for all purposes; harvested for grain. 3/ Production in 480 pound net weight bales.

**FIELD CROPS: Acreage, yield, production, and value, Florida,
crop years 1983 through 1993 1/**

Crop and year	Area		Yield	Production	Season average price	Value of production
	Planted	Harvested				
	1,000 acres		Tons	1,000 tons	Dollars	1,000 dollars
HAY, ALL						
1983	--	255	2.70	689	74.50	51,331
1984	--	240	2.90	696	71.00	49,416
1985	--	240	2.60	624	73.00	45,552
1986	--	260	2.50	650	72.00	48,800
1987	--	275	2.50	688	72.00	49,536
1988	--	270	2.40	648	68.00	44,064
1989	--	260	2.30	598	76.00	45,448
1990	--	240	2.30	552	78.00	43,056
1991	--	230	3.00	690	86.00	59,340
1992	--	250	3.50	875	82.00	71,750
1993	--	220	3.00	660	86.00	56,760
PEANUTS 2/						
			Pounds	1,000 pounds		
1983	69	60	2,780	166,800	.246	41,033
1984	85	77	3,200	246,400	.266	65,542
1985	80	72	3,000	216,000	.225	48,600
1986	94	87	2,680	233,160	.250	58,290
1987	91	83	2,600	215,800	.270	58,266
1988	98	90	2,540	228,600	.269	61,493
1989	95	87	2,470	214,890	.260	55,871
1990	102	94	2,480	233,120	.300	69,936
1991	126	118	2,370	279,660	.263	73,551
1992	88	80	2,530	202,400	.286	57,886
1993	98	84	2,320	194,880	.294	57,295

1/ All 1993 estimates are preliminary. 2/ Planted for all purposes; harvested for dry nuts.

**FIELD CROPS: Acreage, yield, production, and value, Florida,
crop years 1983 through 1993 1/**

Crop and year	Area		Yield	Production	Season average price	Value of production
	Planted	Harvested				
	Acres		Cwt	1,000 cwt	Dollars	1,000 dollars
POTATOES						
1983	32,100	31,300	193	6,045	9.25	56,011
1984	34,900	33,600	236	7,924	8.90	70,526
1985	35,700	35,100	226	7,930	9.40	74,687
1986	33,400	32,600	262	8,543	7.90	67,639
1987	36,500	35,700	196	6,987	16.40	114,420
1988	36,900	36,100	226	8,173	5.65	46,202
1989	43,600	42,600	195	8,304	15.50	129,043
1990	45,500	44,700	219	9,792	14.40	140,734
1991	43,700	43,000	188	8,082	20.40	164,885
1992	41,200	40,100	234	9,323	9.90	92,359
1993	44,700	41,900	181	7,580	17.00	128,472
SOYBEANS 2/						
	1,000 acres		Bushels	1,000 bushels		
1983	327	312	25	7,800	8.15	63,570
1984	340	325	24	7,800	6.19	48,282
1985	260	230	26	5,980	5.19	31,036
1986	150	140	23	3,220	4.90	15,778
1987	95	93	25	2,325	5.55	12,904
1988	120	115	29	3,335	7.50	25,013
1989	130	120	22	2,640	5.45	14,388
1990	80	75	19	1,425	5.65	8,051
1991	45	43	27	1,161	5.40	6,269
1992	55	50	27	1,350	5.20	7,020
1993	55	50	25	1,250	6.35	7,938

1/ All 1993 estimates are preliminary. 2/ Planted for all purposes; harvested for beans.

**FIELD CROPS: Acreage, yield, production, and value, Florida,
crop years 1983 through 1993 1/**

Crop and year	Area		Yield	Production	Season average price	Value of production
	Planted	Harvested				
1,000 acres		Tons	1,000 tons	Dollars	1,000 dollars	
SUGARCANE 2/						
1983	--	367.9	31.4	11,552	28.60	330,387
1984	--	387.0	32.6	12,617	28.90	364,631
1985	--	398.7	32.9	13,117	28.20	369,899
1986	--	405.0	33.2	13,446	29.00	389,934
1987	--	417.0	32.3	13,469	30.90	416,192
1988	--	421.0	31.6	13,304	32.60	433,710
1989	--	420.0	31.4	13,188	30.70	404,872
1990	--	434.0	35.5	15,407	31.50	485,321
1991	--	443.0	34.9	15,461	31.00	479,291
1992	--	443.0	33.2	14,707	29.80	438,269
1993	--	444.0	34.1	15,152	3/	3/
TOBACCO, FLUE-CURED, TYPE 14			Pounds	1,000 pounds		
1983	--	7.80	2,260	17,628	1.714	30,214
1984	--	7.00	2,560	17,920	1.804	32,328
1985	--	6.10	2,675	16,318	1.709	27,887
1986	--	5.30	2,510	13,303	1.622	21,577
1987	--	5.60	2,465	13,804	1.641	22,652
1988	--	6.40	2,680	17,152	1.648	28,266
1989	--	6.70	2,650	17,755	1.676	29,757
1990	--	6.90	2,760	19,044	1.730	32,946
1991	--	6.60	2,320	15,312	1.660	25,418
1992	--	7.50	2,610	19,575	1.628	31,868
1993	--	7.10	2,630	18,673	1.638	30,586
WHEAT 4/			Bushels	1,000 bushels		
1986	100	85	31	2,635	2.45	6,456
1987	60	50	29	1,450	2.60	3,770
1988	75	70	36	2,520	3.30	8,316
1989	80	65	29	1,885	3.50	6,598
1990	65	55	33	1,815	2.80	5,082
1991	50	25	23	575	2.15	1,236
1992	45	20	42	840	3.30	2,772
1993	40	25	33	825	2.70	2,228

1/ All 1993 estimates are preliminary. 2/ For sugar and seed. 3/ Estimates of season average price and value of production for the 1993 crop will be available January 1995. 4/ Estimates were not made prior to 1986.

**PECANS: Production, price and value, Florida,
crop years 1983 through 1993**

Year	Utilized production			Season average price		
	Varieties		Total	Varieties		Total
	Improved	Native and seedling		Improved	Native and seedling	
	1,000 pounds			Cents		
1983	1,500	1,900	3,400	70.3	46.5	57.0
1984	2,200	2,800	5,000	65.5	45.0	54.0
1985	1,600	1,200	2,800	70.0	56.0	64.0
1986	3,100	2,400	5,500	67.2	49.5	59.5
1987	3,100	2,400	5,500	72.0	63.0	68.1
1988	3,400	2,600	6,000	61.0	37.0	50.6
1989	4,000	3,000	7,000	59.0	43.0	52.1
1990	2,000	1,600	3,600	110.0	80.0	96.7
1991	2,000	1,500	3,500	101.0	87.0	95.0
1992	1,700	800	2,500	170.0	110.0	151.0
1993	3,200	4,300	7,500	49.0	44.0	46.1

Year	Value of utilized production		Total
	Varieties		
	Improved	Native and seedling	
	1,000 dollars		
1983	1,055	884	1,939
1984	1,441	1,260	2,701
1985	1,120	672	1,792
1986	2,083	1,188	3,271
1987	2,232	1,512	3,744
1988	2,074	962	3,036
1989	2,360	1,290	3,650
1990	2,200	1,280	3,480
1991	2,020	1,305	3,325
1992	2,890	880	3,770
1993	1,568	1,892	3,460

CORN: Acreage, yield, and production, by district and county, Florida, 1992

District and county	Planted all purposes	Harvested for grain		
		Area	Yield	Production
		Acres	Bushels	
DISTRICT 10				
Calhoun	2,600	2,000	90.0	180,000
Escambia	11,000	8,800	100.0	880,000
Gadsden	2,400	1,700	57.0	96,900
Holmes	4,600	3,400	73.0	248,200
Jackson	27,000	24,000	82.0	1,968,000
Jefferson	6,500	4,000	69.0	276,000
Leon	2,800	1,800	54.0	97,200
Okaloosa	2,500	1,900	66.0	125,400
Santa Rosa	3,500	2,900	82.0	237,800
Walton	6,600	6,000	89.0	534,000
Washington	5,700	3,900	85.0	331,500
Other	2,000	1,000	74.9	74,900
Total	77,200	61,400	82.2	5,049,900
DISTRICT 30				
Columbia	7,600	6,700	55.0	368,500
Hamilton	9,400	8,900	80.0	712,000
Madison	8,000	6,500	72.0	468,000
Suwannee	8,500	7,800	79.0	616,200
Other	4,600	2,500	60.0	150,000
Total	38,100	32,400	71.4	2,314,700
DISTRICT 50				
Alachua	6,800	4,400	56.0	246,400
Gilchrist	7,600	1,300	50.0	65,000
Levy	4,500	3,500	54.0	189,000
Other	6,500	3,000	55.0	165,000
Total	25,400	12,200	54.5	665,400
DISTRICT 80				
Total	9,300	4,000	55.0	220,000
STATE TOTAL	150,000	110,000	75.0	8,250,000

CORN: Acreage, yield, and production, by district and county, Florida, 1993

District and county	Planted all purposes	Harvested for grain		
		Area	Yield	Production
		Acres	Bushels	
DISTRICT 10				
Calhoun	2,500	1,900	56.0	106,400
Escambia	10,900	8,000	79.0	632,000
Gadsden	1,200	900	66.0	59,400
Holmes	4,200	3,700	51.0	188,700
Jackson	26,800	23,400	68.0	1,591,100
Jefferson	6,100	5,500	52.0	286,000
Leon	1,600	1,000	78.0	78,000
Okaloosa	2,200	2,000	51.0	102,000
Santa Rosa	2,500	2,300	63.0	144,900
Walton	5,200	4,700	64.0	300,800
Washington	6,100	4,900	51.0	249,900
Other	1,700	1,000	60.0	60,000
Total	71,000	59,300	64.1	3,799,200
DISTRICT 30				
Columbia	6,700	4,100	53.0	217,300
Hamilton	8,900	8,200	79.0	647,800
Madison	6,700	6,100	52.0	317,200
Suwannee	6,000	5,000	58.0	290,000
Other	4,000	2,000	55.0	110,000
Total	32,300	25,400	62.3	1,582,300
DISTRICT 50				
Alachua	6,600	3,500	78.0	273,000
Gilchrist	8,900	1,000	60.0	60,000
Levy	5,200	4,700	90.0	423,000
Other	6,000	2,700	65.0	175,500
Total	26,700	11,900	78.3	931,500
DISTRICT 80				
Other	10,000	3,400	55.0	187,000
Total	10,000	3,400	55.0	187,000
STATE TOTAL	140,000	100,000	65.0	6,500,000

**PEANUTS: Acreage harvested, yield, and production,
by district and county, Florida, 1992**

District and county	Area harvested	Yield	Production
	Acres		Pounds
DISTRICT 10			
Calhoun	4,000	2,285	9,130,000
Gadsden	700	2,365	1,656,000
Holmes	6,200	1,940	12,029,000
Jackson	35,900	2,450	87,976,000
Jefferson	1,100	2,475	2,725,000
Leon	1,000	1,950	1,952,000
Okaloosa	800	2,610	2,089,000
Santa Rosa	9,600	3,100	29,755,000
Walton	2,850	1,985	5,652,000
Washington	1,950	2,320	4,520,000
Other	800	1,970	1,576,000
Total	64,900	2,450	159,060,000
DISTRICT 30			
Columbia	1,200	2,220	2,663,000
Madison	500	2,755	1,378,000
Suwannee	4,300	2,715	11,684,000
Other	400	2,940	1,176,000
Total	6,400	2,640	16,901,000
DISTRICT 50			
Alachua	1,900	2,585	4,916,000
Gilchrist	400	2,015	805,000
Levy	4,100	3,175	13,010,000
Marion	2,150	3,440	7,400,000
Other	150	2,055	308,000
Total	8,700	3,040	26,439,000
STATE TOTAL	80,000	2,530	202,400,000

**PEANUTS: Acreage harvested, yield, and production,
by district and county, Florida, 1993**

District and county	Area harvested	Yield	Production
	Acres		Pounds
DISTRICT 10			
Calhoun	3,500	2,340	8,191,000
Gadsden	800	2,165	1,730,000
Holmes	6,000	1,980	11,873,000
Jackson	37,100	2,195	81,485,000
Jefferson	1,000	2,095	2,095,000
Leon	600	1,805	1,083,000
Okaloosa	1,100	2,185	2,401,000
Santa Rosa	11,600	2,935	34,028,000
Walton	4,600	2,355	10,823,000
Washington	2,000	2,750	5,504,000
Other	600	1,215	728,000
Total	68,900	2,320	159,941,000
DISTRICT 30			
Columbia	1,200	2,040	2,448,000
Madison	700	2,485	1,739,000
Suwannee	4,200	2,760	11,601,000
Other	300	2,245	674,000
Total	6,400	2,570	16,462,000
DISTRICT 50			
Alachua	1,700	2,100	3,569,000
Gilchrist	400	1,960	783,000
Levy	4,200	2,465	10,347,000
Marion	2,300	1,580	3,635,000
Other	100	1,430	143,000
Total	8,700	2,125	18,477,000
STATE TOTAL	84,000	2,320	194,880,000

**POTATOES: Acreage, production, and value, Florida,
crop years 1988 through 1993**

Crop year	Area		Yield per acre	Production	Value per cwt	Total value
	Planted	Harvested				
	Acres		Cwt	1,000 cwt	Dollars	1,000 dollars
WINTER:						
1988	7,300	7,100	200	1,420	10.60	15,052
1989	7,600	7,600	190	1,444	24.30	35,089
1990	8,000	7,700	140	1,078	38.20	41,180
1991	7,600	7,600	195	1,482	29.20	43,274
1992	8,100	8,100	200	1,620	22.00	35,420
1993	8,700	8,400	180	1,512	28.10	42,234
SPRING (HASTINGS):						
1988	27,000	26,500	235	6,228	4.50	28,026
1989	28,500	28,000	195	5,460	11.90	64,974
1990	29,000	28,700	240	6,888	8.25	56,826
1991	27,500	27,000	190	5,130	16.80	86,184
1992	26,000	25,000	240	6,000	5.05	30,174
1993	28,000	26,000	180	4,680	11.00	51,260
SPRING (OTHER):						
1988	2,600	2,500	210	525	5.95	3,124
1989	7,500	7,000	200	1,400	20.70	28,980
1990	8,500	8,300	220	1,826	23.40	42,728
1991	8,600	8,400	175	1,470	24.10	35,427
1992	7,100	7,000	250	1,750	15.40	26,765
1993	8,000	7,500	185	1,388	25.20	34,978

**POTATOES: Acreage harvested by selected counties,
Florida, crop years 1988 through 1993**

Counties	1988	1989	1990	1991	1992	1993
Acres						
Dade	5,200	5,100	4,800	4,800	4,900	4,700
Flagler	2,200	3,000	3,100	2,500	1,975	2,500
Putnam	4,400	4,500	4,900	4,200	4,800	4,900
St. Johns	19,900	20,500	20,700	20,300	18,225	8,600
Other	4,400	9,500	11,200	11,200	10,200	11,200
WINTER TOTAL	7,100	7,600	7,700	7,600	8,100	8,400
SPRING TOTAL	29,000	35,000	37,000	35,400	32,000	33,500
STATE TOTAL	36,100	42,600	44,700	43,000	40,100	41,900

**POTATOES: Production sold, monthly, Florida,
crop years 1988 through 1993**

Crop year	Jan	Feb	Mar	Apr	May	Jun 1/	Total
1,000 cwt							
1988	8	73	423	1,212	4,254	2,164	8,134
1989	41	157	529	1,289	4,519	1,726	8,261
1990	32	32	418	3,548	4,159	1,553	9,742
1991	74	222	766	1,331	5,004	642	8,039
1992	32	225	909	2,772	3,608	1,777	9,323
1993	38	204	542	1,162	3,475	2,119	7,540
Percent							
1988	.1	.9	5.2	14.9	52.3	26.6	100.0
1989	.5	1.9	6.4	15.6	54.7	20.9	100.0
1990	.3	.3	4.3	36.4	42.7	16.0	100.0
1991	.9	2.8	9.5	16.6	62.2	8.0	100.0
1992	.3	2.4	9.8	29.7	38.7	19.1	100.0
1993	.5	2.7	7.2	15.4	46.1	28.1	100.0

1/ Includes small quantities sold in July.

**POTATOES: Average value per cwt for all sales, monthly,
Florida, crop years 1988 through 1993**

Crop year	Jan	Feb	Mar	Apr	May	Jun	Average
Dollars							
1988	13.00	13.00	11.80	8.65	5.25	3.20	5.65
1989	16.50	16.60	17.80	28.50	13.00	11.80	15.50
1990	42.00	42.00	44.60	19.90	8.70	7.60	14.40
1991	34.00	33.80	26.30	25.30	16.50	16.10	20.40
1992	25.00	25.00	24.20	14.80	4.60	3.60	9.90
1993	25.00	24.20	29.10	28.40	17.00	6.80	17.00

SOYBEANS: Acreage, yield, and production, by district and county, Florida, 1992

District and county	Planted all purposes	Harvested for beans		
		Area	Yield	Production
		Acres		Bushels
DISTRICT 10				
Calhoun	6,100	5,800	31.0	180,000
Escambia	8,600	8,200	29.5	242,000
Gadsden	1,000	900	22.2	20,000
Holmes	2,000	1,800	27.2	49,000
Jackson	9,600	9,000	26.3	237,000
Jefferson	1,300	1,100	21.8	24,000
Okaloosa	2,800	2,600	28.1	73,000
Santa Rosa	7,500	6,600	30.0	198,000
Walton	2,100	1,900	22.1	42,000
Washington	1,400	1,300	30.0	39,000
Other	1,700	1,500	22.7	34,000
Total	44,100	40,700	28.0	1,138,000
DISTRICT 30				
Hamilton	500	400	25.0	10,000
Madison	4,800	4,700	23.0	108,000
Suwannee	2,200	2,100	21.0	44,000
Other	500	400	22.5	9,000
Total	8,000	7,600	22.5	171,000
Other, State	2,900	1,700	24.1	41,000
STATE TOTAL	55,000	50,000	27.0	1,350,000

SOYBEANS: Acreage, yield, and production, by district and county, Florida, 1993

District and county	Planted all purposes	Harvested for beans		
		Area	Yield	Production
		Acres		Bushels
DISTRICT 10				
Calhoun	6,600	6,100	25.1	153,000
Escambia	7,400	7,000	28.9	202,000
Gadsden	1,400	1,300	27.7	36,000
Holmes	3,300	2,500	19.2	48,000
Jackson	9,800	9,200	24.1	222,000
Jefferson	1,300	1,200	20.8	25,000
Okaloosa	1,900	1,700	27.6	47,000
Santa Rosa	6,600	6,000	29.0	174,000
Walton	2,000	1,800	19.4	35,000
Washington	1,500	1,400	22.1	31,000
Other	1,100	900	21.1	19,000
Total	42,900	39,100	25.4	992,000
DISTRICT 30				
Columbia	300	300	23.3	7,000
Hamilton	300	300	26.7	8,000
Madison	5,900	5,600	23.2	130,000
Suwannee	1,400	1,300	25.4	33,000
Other	600	500	24.0	12,000
Total	8,500	8,000	23.8	190,000
Other, State	3,600	2,900	23.4	68,000
STATE TOTAL	55,000	50,000	25.0	1,250,000

**TOBACCO, FLUE-CURED, TYPE 14: Acreage, yield, and production,
by district and county, Florida, 1992**

District and county	Area harvested	Yield	Production
	Acres		Pounds
DISTRICT 10			
Gadsden	134	1,830	245,000
Jefferson	165	2,475	408,000
Other	102	2,530	258,000
Total	401	2,270	911,000
DISTRICT 30			
Baker	150	2,400	360,000
Columbia	794	2,835	2,251,000
Hamilton	1,169	2,480	2,897,000
Lafayette	515	3,480	1,793,000
Madison	897	2,270	2,035,000
Suwannee	1,879	2,625	4,929,000
Taylor	112	2,875	322,000
Other	80	2,815	225,000
Total	5,596	2,645	14,812,000
DISTRICT 50			
Alachua	909	2,610	2,374,000
Bradford	112	2,445	2,74,000
Gilchrist	158	2,600	411,000
Union	238	2,475	589,000
Other	86	2,370	204,000
Total	1,503	2,565	3,852,000
STATE TOTAL	7,500	2,610	19,575,000

**TOBACCO, FLUE-CURED, TYPE 14: Acreage, yield, and production,
by district and county, Florida, 1993**

District and county	Area harvested	Yield	Production
	Acres		Pounds
DISTRICT 10			
Gadsden	120	1,850	222,000
Jefferson	145	2,605	378,000
Other	95	2,410	229,000
Total	360	2,305	829,000
DISTRICT 30			
Baker	120	2,365	284,000
Columbia	720	2,705	1,947,000
Hamilton	1,115	2,495	2,780,000
Lafayette	480	3,445	1,654,000
Madison	880	2,520	2,217,000
Suwannee	1,795	2,740	4,918,000
Taylor	115	2,625	302,000
Other	70	2,755	193,000
Total	5,295	2,700	14,295,000
DISTRICT 50			
Alachua	900	2,390	2,152,000
Bradford	100	2,750	275,000
Gilchrist	155	2,690	417,000
Union	210	2,525	530,000
Other	80	2,190	175,000
Total	1,445	2,455	3,549,000
STATE TOTAL	7,100	2,630	18,673,000